ISSN: 2583-5637

International journal of Inventive Research in Science and Technology

Volume 3 Issue 3 March 2024

Design and Development of a Portable Battery-Powered Electric Tilling Machine for Sustainable Agriculture

[1.]**Prateek Lanjiwar** [2.] **Shivhans Bahadur** [3.] **Rashi Goswami** [4.]**Ashok Soni**

[1, 2] **UG Student, Electrical & Electronics Engineering, GGITS JBP**

[3, 4] **Asst. Prof, Electrical & Electronics Engineering, GGITS JBP**

ABSTRACT

The increasing demand for sustainable and cost-effective agricultural technologies has accelerated the development of portable mechanized farming equipment. Traditional tilling methods are labor-intensive, time-consuming, and highly dependent on fossil fuel-based machinery, which increases operational costs and environmental pollution. This paper presents the design and development of a portable battery-powered electric tilling machine intended for small-scale agricultural and gardening applications. The proposed system utilizes a DC electric motor coupled with a chain-sprocket mechanism to drive tilling forks through soil efficiently. The machine incorporates a lightweight frame, rechargeable battery system, and portable wheel assembly to improve mobility and ease of operation. The proposed model significantly reduces manual labor, fuel dependency, and maintenance costs while maintaining effective soil tilling performance. Experimental analysis demonstrates that the developed prototype provides improved operational efficiency and reduced tilling time compared to conventional manual tilling methods. The portable architecture also enhances usability in hilly terrains and small agricultural fields where large tractors are impractical. The study highlights the feasibility of low-cost electric tilling systems as an environmentally sustainable alternative for modern agriculture. The proposed machine offers an efficient, portable, and pollution-free solution for precision tilling operations.

Keywords - Portable tilling machine, Electric tiller, Sustainable agriculture, Battery-powered farming equipment, Precision tilling, Agricultural automation, DC motor drive, Smart farming.

I. INTRODUCTION

Agriculture remains one of the most important sectors for global food security and economic stability. However, conventional farming methods still rely heavily on manual labor and fuel-powered agricultural machinery, resulting in high operating costs, significant physical exertion, and environmental pollution. Among the various agricultural tasks, tillage is considered one of the most labor- and time-intensive processes. [1]

Traditional manual farming methods require continuous physical exertion and reduce overall productivity. Although tillers and tractors improve efficiency, they are expensive, consume fossil fuels, and are unsuitable for small farms or rugged terrain. Consequently, there is a growing demand for compact, energy-efficient, and environmentally sustainable agricultural machinery. Recent advances in electric mobility and battery technology have enabled the development of lightweight agricultural machinery offering greater portability and lower emissions. Against this backdrop, the proposed portable electric tiller is designed to provide a cost-effective, eco-friendly solution for small-scale agriculture. [2-4]

The developed system utilizes a chain-drive mechanism powered by an electric motor and a rechargeable battery. The machine is compact and portable, capable of performing precise soil cultivation tasks with minimal human intervention. The proposed design aims to improve agricultural productivity while reducing fuel consumption and maintenance requirements.[5]

II. METHODOLOGY

Various studies have investigated the development of mechanized tillage systems aimed at reducing agricultural labor and improving operational efficiency. Conventional walk-behind tractors and tractor-mounted tillage implements have been widely used in large-scale agriculture. However, these systems entail high fuel consumption, higher maintenance costs, and pollutant emissions.

Researchers have studied electric agricultural machinery as a sustainable alternative to diesel-powered equipment. Battery-powered tillers have been shown to generate less operating noise, reduce emissions, and improve energy efficiency. Lightweight agricultural robots and portable cultivators have also been proposed for precision farming applications.

Despite these advances, existing portable tillage systems often exhibit limitations regarding portability, high manufacturing costs, reduced operational flexibility, and unsuitability for small agricultural plots. Furthermore, many current systems lack optimized lightweight designs and efficient power transmission mechanisms. This work addresses these limitations by developing a compact, battery-powered tiller that integrates a lightweight frame, an efficient chain-and-sprocket system, and a portable wheel assembly suitable for small-scale agricultural environments.

Current tillage systems are primarily designed for large-scale agricultural applications and entail significant fuel consumption and operating costs. Small-scale farmers and home gardeners often cannot afford conventional tractor-based tillage machinery due to the high purchase price and steep maintenance requirements. The key research gaps identified are: the lack of portable and affordable tillers for small-scale farming, the reliance on fossil-fuel-powered agricultural machinery, the significant physical exertion required for manual tillage, and the limited availability of lightweight, battery-powered tillage systems.

The innovative features of this project include the development of a compact, battery-powered electric tiller; the integration of a lightweight, portable structure for good mobility; the implementation of a chain drive powered by an electric motor; reduced fuel dependency and lower environmental impact; and greater tillage efficiency with less physical effort.

ISSN: 2583-5637

International journal of Inventive Research in Science and Technology

Volume 3 Issue 3 March 2024

The proposed tiller consists of mechanical and electrical subsystems that interact to achieve efficient tillage. The mechanical components consist of a bicycle wheel, a support frame, an axle with bearings, sprockets, cultivator tines, and various mounting joints and fastening accessories.

The electrical components include a DC motor, a rechargeable battery, electrical cables and a switch, a step-down transformer, an ultrasonic sensor, and solar cells.

The motor hoe is powered by a battery-operated DC motor connected to the drive wheel via a chain drive. When the switch is activated, the motor rotates the wheel assembly, propelling the machine forward as the tilling tines dig into the soil. The wheel design, featuring welded, angled projections, provides better traction and stability during operation. The portable frame design facilitates handling and transport. The rechargeable battery eliminates reliance on fuel and significantly reduces environmental pollution.




Figure 1:- Operational Flow

III. RESULTS AND ANALYSIS

The developed portable tilling machine was evaluated based on portability, tilling efficiency, energy consumption, and ease of operation. Experimental observations indicate that the machine effectively performs tilling operations in small agricultural fields and garden areas.

The lightweight structure improved maneuverability and reduced operator fatigue. The electric motor provided sufficient torque for soil penetration while maintaining stable operation.

Parameter	Manual Tilling	Conventional Tractor	Proposed Electric Tiller
Human Effort	High	Low	Very Low
Fuel Requirement	None	High	None
Portability	Moderate	Poor	Excellent
Maintenance Cost	Low	High	Low
Environmental Pollution	None	High	Negligible
Suitability for Small Farms	Moderate	Low	High

Table 1 :- Comparative table for other methods

The proposed system demonstrated significant advantages over conventional tillage methods in terms of portability, cost-effectiveness, and environmental sustainability.

Its primary benefits include fuel-free and eco-friendly operation, reduced labor requirements, and low maintenance. Furthermore, its compact and lightweight design facilitates transport.

The main limitations include limited battery life—making it primarily suitable for small-scale farming—and the inability to perform multiple agricultural tasks simultaneously.

IV. CONCLUSION

This article presents the design and development of a portable, battery-powered electric tiller for sustainable agriculture. The system effectively reduces physical exertion, operating costs, and fuel dependency while improving tillage efficiency. Its lightweight, portable design facilitates use on small farms and in mountainous terrain where conventional tractors are unsuitable. The integration of electric drive technology with a compact mechanical structure offers an environmentally friendly and cost-effective solution for precision tillage. Experimental analysis validates the effectiveness of the proposed design in reducing labor intensity and improving agricultural productivity. Future developments could include the integration of solar charging systems, IoT-based monitoring, autonomous navigation, and multifunctional agricultural features to further enhance operational efficiency and smart farming applications.

REFERENCES

[1] R. Kumar and S. Singh, "Development of Battery Operated Agricultural Machines for Small Scale Farming," *International Journal of Agricultural Engineering*, vol. 12, no. 3, pp. 145–152, 2023.

[2] P. Sharma and A. Gupta, "Electric Drive Systems in Modern Agricultural Equipment," *IEEE Access*, vol. 10, pp. 45821–45835, 2022.

[3] M. Patel et al., "Sustainable Agricultural Mechanization Using Electric Power Tillers," *Journal of Cleaner Production*, vol. 315, pp. 1–12, 2021.

[4] S. Verma and R. Tiwari, "Portable Farming Machines for Precision Agriculture," *International Conference on Smart Farming Technologies*, pp. 88–94, 2020.

[5] A. Joshi and K. Mehta, "Comparative Analysis of Conventional and Electric Agricultural Equipment," *Renewable Energy Applications Journal*, vol. 9, no. 2, pp. 210–218, 2022.